


DOCUMENT #5: Map of Lighting and positioning:



Each red arrow indicates areas that will be lit for parking and pathways with more detailed descriptions below.

NOTES ON LIGHTING AND PATHWAYS—all to be compliant with Temple Planning Board standards.

- Existing exterior lights on buildings are currently in place.
- The parking area #1, #2, #3, and #4 (referenced in above map/key and on Document 4) will all be served by existing lighting, which was installed many years ago and is fully functional. This lighting points downward and is specific to the parking areas.
- The parking areas #5 and #6 will be served by existing telephone poles which were installed approximately 25 years ago. They have downward pointing lighting which will be fully shielded. We will put in 65-watt Sylvania bulbs with lumens of 650 that are Section 30 compliant.
- No blinking lights will be allowed.
- Pathway to be lighted with small, low watt bulbs with full shield from Milford Electrical Supply. See page 3.
- Signage will be lighted with low watt solar lamps with shield and pointed downward, see example below.



Pathway to be lighted with Kichler Mini Deck Lights, downward shining patio lights with 130 lumens from Electrical Supply of Milford.



Mini Deck Light

BBR (shown), AZT, BKT, WHT		Additional Finishes
2700K - Warm White	3000K - Pure White	
15765 AZT27R	15765 AZT30R	AZT
15765 BBR27R	15765 BBR30R	
15765 BKT27R	15765 BKT30R	BKT
15765 WHT27R	15765 WHT30R	
Cast Aluminum or Cast Brass (BBR)		